Sporting and Technical Regulations





86 Series



2023 Toyota Gazoo Racing Australia 86 Series



Version 1 Published 11/04/2023







2023 Toyota Gazoo Racing Australia 86 Series

Sporting & Technical Regulations

A capitalised and italicised word in this document is defined in the FIA International Sporting Code (*Code*), the National Competition Rules (*NCR*), including their Appendices or "Definitions and Abbreviations" in this document.

Any HEADING in this document is for reference only and has no regulatory effect.

Contents

DEFIN	NITIONS	AND ABBREVIATIONS	5	
S1	TITLE AND JURISDICTION			
	S1.1	Title	6	
	S1.2	Authority/Jurisdiction	6	
S2	ADMINI	STRATION PERSONNEL	6	
S3	СОМРЕ	TITOR ELIGIBILITY	6	
S4	DRIVER	ELIGIBILITY	7	
	S4.1	General	7	
	S4.2	Substitute Driver	7	
	S4.3	Guest Driver	7	
S5	AUTOM	OBILE ELIGIBILITY	7	
	S5.1	Replacement Automobile	7	
S6	СОМРЕ	TITOR REGISTRATION	7	
S7	DRIVER	REGISTRATION	7	
	S7.1	Registration	7	
	S7.2	Series Registered <i>Driver</i>		
	S7.3	Casual Registered <i>Driver</i>		
S8	EVENT E	ENTRY		
S9		CALENDAR		
S10		<i>IT</i> FORMAT		
	S10.1	General		
	S10.2	Variation to the <i>Event</i> Schedule		
S11		DETERMINATION		
•	S11.1	Driver Qualification		
S12	_	T PROCEDURE		
S13		RDS & POINT SCORE		
	S13.1	Prizes & Trophies		
	S13.2	Series Point Score		
S14		IT OPERATIONS		
• • •	S14.1	Driver Briefing		
	S14.2	Team Manager Briefing		
	S14.3	Parc Fermé		
	S14.4	Driver/Competitor Departure from the Precinct		
	S14.5	Practice		
	S14.6	Qualifying	10	





	S14.7	Races	10
	S14.8	Pit Lane	10
	S14.9	Removal of Automobile from the Precinct	10
	S14.10	Radio Communication to/from Automobile	10
	S14.11	Race Management Channel (RMC)	11
	S14.12	Lap Triggers	11
S15	TYRE	S	11
	S15.1	General	11
	S15.2	Allocation and Marking	11
	S15.3	Practice Tyres	11
S16	FUEL		11
	S16.1	Fuel	11
	S16.2	Refuelling	12
S17	ENGI	INE OIL	12
S18	AUTO	OMOBILE MARKINGS	12
	S18.1	General	12
	S18.2	Competition Numbers	12
	S18.3	In-Car Signage	12
	S18.4	Series Signage	12
S19	TESTI	ING RESTRICTIONS	12
S20	JUDIO	CIAL	13
	S20.1	In-car Camera	13
	S20.2	Demerit Point System	13
S21	сом	IPETITOR CONDUCT	13
ATTA	CHMENT	T A - FUEL CONTAINER	14
	T1.1	TGRA 86	14
ATTA	CHMENT	T B - JUDICIAL IN-CAR CAMERA FRAMING	15
T1	GENERA	AL	16
T2	ELIGIBIL	штү	16
	T2.1	Homologation Requirements	16
	T2.2	Eligible Automobiles	16
	T2.3	Scrutineering	16
	T2.4	Component Sealing	16
Т3	CONTRO	OL COMPONENTS	17
T4	WEIGHT	Т	17
	T4.1	Racing Weight	17
	T4.2	Driver Weight	17
	T4.3	Automobile Weight	17
	T4.4	Ballast	17
T5	соскріт	τ	17
	T5.1	General	17
	T5.2	Safety Cage	18
	T5.3	Driver's Seat	18
	T5.4	Safety Harness	18





	T5.5	Driver Comfort Aids	18
	T5.6	Judicial In-Car Camera	18
	T5.7	Timing Transmitter	18
T6	СОАСН	WORK	18
T7	ENGINE	:	19
	T7.1	General	19
	T7.2	Oil	19
	T7.3	Cooling System	19
T8	SUSPEN	ISION	19
	T8.1	General	19
	T8.2	Ride Height	19
	T8.3	Camber	19
Т9	ELECTR	ICAL	19
	T9.1	Telemetry	19
	T9.2	Electronic Engine Control Unit (ECU)	19
	T9.3	Data	20
T10	BRAI	KES	21
T11	WHE	ELS	21
T12	TYRE		21
T13	FUEL	SYSTEM	22
T14	EXH	AUST	22
T15	TOW	POINTS	22
T16	NON	I-GENUINE PARTS	22





DEFINITIONS AND ABBREVIATIONS

Automobile An eligible vehicle that is log booked for Competition by Motorsport Australia and is

registered for Competition with the CM, in association with the 2021 Toyota Gazoo

Racing Australia 86 Series Commercial Agreement.

CA The Category Administrator of the *Series* as appointed by the *CM*.

CM The Category Manager of the Series as appointed by Motorsport Australia.

Competitor A person or body who holds a Competitor Licence acceptable to Motorsport Australia; is

registered for Competition with the CM; and has entered a Competition (formerly referred

to as the Entrant).

Control Component A component that is specified for use in the Series and supplied by the nominated

Control Component Supplier as detailed in the Motorsport Australia Recognition Documents. Unless otherwise stated in the Motorsport Australia Recognition

Documents, the fitment and/or use of each Control Component is mandatory.

Control Component Supplier The manufacturer and/or supplier of a Control Component as nominated by the CM.

CRSR Circuit Race Standing Regulations as promulgated by Motorsport Australia.

Driver A person who holds a valid *Motorsport Australia Licence*; is registered as a *Driver* with

the CM; and is entered to drive an Automobile in an Event.

DSA The Series Driving Standards Advisor as appointed by the CM.

Event An Event of the Series.

Guest Driver An eligible *Driver* that is invited by the *CM* to compete at an *Event* of the *Series*.

New TyreA tyre that has been manufactured by Dunlop and supplied by the approved nominated

tyre supplier; that is not a Previously Used Tyre or modified in any way.

Precinct The area within the perimeter of the *Event* venue.

Previously Marked Tyre A tyre that has been officially marked/approved by the TD or their nominee at an Event,

for use on an Automobile with the corresponding competition number.

Previously Used Tyre A tyre that has a tread depth of less than 6mm, measured in the middle of the tread face.

RD The Series Race Director as appointed by Motorsport Australia.

Recognition Documents A series of documents consisting of the Motorsport Australia Toyota Gazoo Racing

Australia 86 Series Recognition (Document No. 3-16-002), Motorsport Australia Variant Option document and any Technical Service Bulletins as promulgated by *Motorsport*

Australia, which detail the technical specifications of each eligible Automobile.

Series The 2023 Toyota Gazoo Racing Australia 86 Series.

Standard An original unmodified component as fitted to an eligible Automobile in accordance with

Regulation T2.2 and as supplied by TMCA.

TD The Series Technical Delegate as appointed by Motorsport Australia.

TM The Series Technical Manager as appointed by the CM.

TMCA Toyota Motor Corporation Australia.





2023 Toyota Gazoo Racing Australia 86 Series

Sporting Regulations

S1 TITLE AND JURISDICTION

Title

The Series will only be known as and referred to as the "Toyota Gazoo Racing Australia 86 Series".

S1.2 Authority/Jurisdiction

- 1.2.1 Each Event in the 2023 Toyota Gazoo Racing Australia 86 Series (Series) is to be conducted under the FIA International Sporting Code including Appendices; the National Competition Rules (NCR) and Circuit Race Standing Regulations (CRSR) of Motorsport Australia; the Sporting and Technical Regulations issued for this Series by Motorsport Australia; Supplementary Regulations issued by the Organiser at each Event, Bulletins issued by the Stewards and any Driver Briefing Notes and instructions issued by the Race Director or the Clerk of the Course at an Event.
- 1.2.2 This Series has been sanctioned by Motorsport Australia as an Authorised Series.
- 1.2.3 Toyota Motor Corporation Australia Ltd (TMCA) has been appointed as the CM by Motorsport Australia for this Series.

Toyota Motor Corporation Australia Ltd (ABN 64 009 686 097)

155 Bertie Street

Port Melbourne, VIC 3207

1.2.4 AirTime Autosport (ATA) has been appointed as the CA by the CM for this Series.

Craig Nayda (General Manager)

Mobile: 0408 849 744

Email: craig@airtimeautosport.com

Phil Harrison (Commercial Manager)

Mobile: 0408 619 344

Email: phil@airtimeautosport.com

Office Address **Postal Address** Austlink Corporate Centre PO Box 282 Frenchs Forest NSW 1640

Suite 14, First Floor, 14 Narabang Way

Belrose NSW 2085 Tel: (02) 9986 3559

S2 ADMINISTRATION PERSONNEL

The following personnel have been appointed to the Series by Motorsport Australia and/or the CM and have the authority to administer the various aspects of these regulations as detailed in the CRSR:

2.1	Race Director (RD)	Jessica Nicholson
2.2	Technical Delegate (TD)	Felicity Wood
2.3	Series Steward (SS)	Glenn Pincott
2.4	Category Administrator (CA)	AirTime Autosport
2.5	Technical Manager (TM)	Neal Bates Motorsport
2.6	Driving Standards Advisor (DSA)	Steven Johnson
2.7	Engine Inspection Officer (EIO)	Craig Hasted

COMPETITOR ELIGIBILITY S3

- 3.1 To be eligible to compete in the Series, each Competitor must:
 - 3.1.1 Register with the CA;
 - 3.1.2 Hold a valid Competitor Licence acceptable to Motorsport Australia, and;
 - Comply with all terms and conditions of the 2023 Toyota Gazoo Racing Australia 86 Series 3.1.3 Commercial Agreement as published by the CM.
- 3.2 The CM reserves the right to prohibit a Competitor from entering an Event, in accordance with Regulation S20.2.





S4 DRIVER ELIGIBILITY

S4.1 General

- 4.1.1 To be eligible to compete in the Series, each Driver must:
 - 4.1.1.1 Register with the CA;
 - 4.1.1.2 Be at least of fifteen (15) years of age, and;
 - 4.1.1.3 Hold a minimum of a valid Motorsport Australia Circuit Licence without Provisional endorsement or equivalent.

NOTE: To be eligible to compete at Mount Panorama, Drivers must be a minimum of sixteen (16) years of age, in accordance with the Mount Panorama Motor Racing Act 1989 No. 108.

- 4.1.2 Any *Driver* that has held a *Motorsport Australia* Circuit Licence without Provisional endorsement or equivalent for less than 12 months, must successfully complete a National Competition Course conducted by a *Motorsport Australia* approved Race School prior to competing in any *Event*.
- 4.1.3 The CM reserves the right to prohibit a *Driver* from entering an *Event*, in accordance with Regulation S20.2.

S4.2 Substitute Driver

Prior to the commencement of the first qualifying session at each *Event*, a *Competitor* may nominate a substitute *Driver* who may be permitted to compete in the remainder of the *Event*, subject to Regulation S4 and the approval of the *CA* and the Stewards.

S4.3 Guest Driver

The CM reserves the right to permit up to four (4) Guest Drivers to compete at each Event.

S5 AUTOMOBILE ELIGIBILITY

To be eligible to compete in the *Series*, each *Automobile* must be registered with the *CA*; and comply with these regulations and the *Motorsport Australia Recognition Documents*.

S5.1 Replacement Automobile

Unless otherwise approved by the *CA* and the Stewards in exceptional circumstances, following the commencement of the first practice session of each *Event*, any *Automobile* that has been entered to compete at that *Event*, may not be replaced with another *Automobile*.

S6 COMPETITOR REGISTRATION

- 6.1 The Series will operate under the Motorsport Australia Registration and Entry process.
- 6.2 Prior to the commencement of the Series, each Competitor is required to register with the CA.
- 6.3 A *Competitor* will only be considered as being registered to compete in the *Series* following:
 - 6.3.1 Payment of the applicable Registration fee; and
 - 6.3.2 Receipt of written notification from the CA.

S7 DRIVER REGISTRATION

S7.1 Registration

- 7.1.1 Prior to the commencement of the *Series*, each *Driver* is required to register with the *CA* as either a Series Registered Driver or a Casual Registered Driver.
- 7.1.2 A *Driver* will only be considered as being registered to compete in the *Series* following:
 - 7.1.2.1 payment of the applicable Registration Fee; and
 - 7.1.2.2 receipt of written notification from the CA.

S7.2 Series Registered Driver

- 7.2.1 A maximum of thirty-two (32) Series Registered Drivers will be accepted for the Series.
- 7.2.2 Each Series Registered *Driver* is eligible to enter each *Event* of the *Series*, subject to Regulation S20.2.
- 7.2.3 If a Series Registered *Driver* is unable to compete at an *Event*, unless otherwise approved by the *CM*, the associated Registration Fee will not be refunded or transferred.

S7.3 Casual Registered *Driver*

Each Casual Registered Driver is eligible to enter an Event of the Series, subject to Regulation S8.4.





S8 EVENT ENTRY

- 8.1 A maximum of thirty-two (32) Entries (excluding Guest Drivers) will be accepted for each Event of the Series.
- 8.2 The maximum number of *Entries* able to be accepted for each *Event* is determined by:
 - 8.2.1 The track density for each *Circuit*, as determined by *Motorsport Australia*, and;
 - 8.2.2 The paddock density for each *Event*, as determined by Supercars Australia.
- 8.3 A Competitor will only be considered as being entered for an Event following:
 - 8.3.1 Lodgement of a completed Entry Confirmation form prior to the specified Entry closing date; and
 - 8.3.2 Receipt of written acceptance notification from the CA.
- 8.4 In the event of over-subscription, Entry acceptance preference will be given to Series Registered Drivers.
- 8.5 The *CM* reserves the right to reject any *Entry* over and above the prescribed maximum *Entries* for an *Event*. In this case, the applicable *Event Entry* fee will be refunded.
- 8.6 If a Competitor withdraws (in writing) from an Event after the specified Entry closing date, in accordance with the Supplementary Regulations for the Event, the applicable Entry fee will not be refunded.

S9 SERIES CALENDAR

9.1 The Series will be conducted over the following *Events*.

Race	Date	Event	Circuit
1, 2 & 3 July 7-9 NTI		NTI Townsville 500	Reid Park, QLD
4, 5 & 6 July 28-30 Beaurepaires Sydney Su		Beaurepaires Sydney SuperNight	Sydney Motorsport Park, NSW
7, 8 & 9	7, 8 & 9 August 18-20 OTR SuperS		The Bend Motorsport Park, SA
10, 11 & 12	September 15-17	Penrite Oil Sandown 500	Sandown International Raceway, VIC
13, 14 & 15	& 15 October 5-8 Repco Bathurst 1000 Mount Pan		Mount Panorama, NSW

9.2 Each race conducted as a part of the Series will count in determining the final Series standings.

S10 EVENT FORMAT

S10.1 General

- 10.1.1 The number, length and format of *Track* sessions will be negotiated between the *CA* and the *Organiser* prior to an *Event* and will be advised in the relevant *Supplementary Regulations* for the *Event*.
- 10.1.2 Generally, the format for each Event will be as follows:
 - 10.1.2.1 Practice 2 x twenty (20) minute sessions.
 - 10.1.2.2 Qualifying 1 x fifteen (15) minute session.
 - 10.1.2.3 Race 1 A twenty (20) minute race (expressed as a number of laps).
 - 10.1.2.4 Race 2 A twenty-five (25) minute race (expressed as a number of laps).
 - 10.1.2.5 Race 3 A twenty (20) minute race (expressed as a number of laps).

\$10.2 Variation to the Event Schedule

In exceptional circumstances, with the prior approval of the Stewards, the *Organiser* reserves the right to amend the *Event* schedule, including extending a session to ensure the full amount of scheduled *Track* time is achieved.

S11 GRID DETERMINATION

The grid for each race will be determined in accordance with the CRSR.

S11.1 Driver Qualification

Unless otherwise approved by the Stewards, any *Driver* whose best lap time achieved in a qualifying session exceeds 107% of the fastest lap time achieved in that session, will be prohibited to further compete at that *Event*.

S12 START PROCEDURE

The Start procedure for each race will be in accordance with the CRSR - Non-Championship Standing Start.

S13 AWARDS & POINT SCORE

S13.1 Prizes & Trophies

Prizes, trophies and awards will be as determined by the *CM* in accordance with the 2023 Toyota Gazoo Racing Australia 86 Series Commercial Agreement as published by the *CM*.





S13.2 Series Point Score

13.2.1 Points will be awarded to Drivers for each race in the Series in accordance with the following table:

Position	Points	Position	Points	Position	Points	Position	Points
1 st	100	11 th	60	21 st	40	31 st	20
2 nd	90	12 th	58	22 nd	38	32 nd	18
3 rd	82	13 th	56	23 rd	36	33 rd	16
4 th	76	14 th	54	24 th	34	34 th	14
5 th	72	15 th	52	25 th	32	35 th	12
6 th	70	16 th	50	26 th	30	36 th	10
7 th	68	17 th	48	27 th	28	37 th	8
8 th	66	18 th	46	28 th	26	38 th	6
9 th	64	19 th	44	29 th	24	39 th	4
10 th	62	20 th	42	30 th	22	40 th	2

- 13.2.2 Points will only be awarded to the *Drivers* classified as finishers in the final results of each race.
- 13.2.3 Points for any race which is stopped (red flagged) and not restarted will be awarded in accordance with the requirements of the *CRSR*.

NOTE: For the avoidance of doubt, any race that is scheduled with a time certain finish and finishes (is chequered flagged) in accordance with the scheduled finish time will result in a full allotment of Series points being awarded irrespective of the number of laps completed by the leader.

- 13.2.4 The *Driver* that achieves the highest points total over the five (5) *Events* will be declared the winner of the 2023 Toyota Gazoo Racing Australia 86 Series.
- 13.2.5 If a *Driver* is unable to attend an *Event* due solely to Government imposed COVID-19 restrictions, the *CM*, in consultation with *Motorsport Australia*, reserve the right to alter the number of *Events* used to determine each *Driver*'s *Series* points score. Any decision in this regard will be advised by the *CM* and will not be subject to protest or appeal.
- 13.2.6 If multiple *Drivers* are unable to attend multiple *Events* due solely to Government imposed COVID-19 restrictions, the *CM*, in consultation with *Motorsport Australia*, reserves the right to not declare *Series* winners and/or award *Series* prizes and trophies.
- 13.2.7 In the event of multiple *Drivers* being tied, the higher position will be awarded to the *Driver* with the highest number of first place finishes. If at this stage a tie still exists, it will be resolved by comparing the number of second, third or fourth places (and so on) achieved by each tied *Driver* until all positions have been determined.

S14 EVENT OPERATIONS

S14.1 Driver Briefing

- 14.1.1 Each Driver must attend the Driver Briefing for each Event, as conducted by Motorsport Australia.
- 14.1.2 The time, format and location of the briefing/s will be specified in the Supplementary Regulations for the Event.
- 14.1.3 Additional compulsory briefings may be convened and will be advised to each Competitor accordingly.

S14.2 Team Manager Briefing

- 14.2.1 Each Team Manager (as nominated on the Registration Form) must attend the Team Manager Briefing for each *Event*, as conducted by the *CA*.
- 14.2.2 The time, format and location of the briefing will be detailed in the Pre-Event Guide as published by the CA.
- 14.2.3 Additional compulsory briefings may be convened and will be advised to each Competitor accordingly.

S14.3 Parc Fermé

- 14.3.1 The location of Parc Fermé at each Event will be specified in the Pre-Event Guide as published by the CA.
- 14.3.2 Unless otherwise approved by the *TD*, each *Driver* may consume a maximum of one litre of fluid after each session whilst in *Parc Fermé*.
- 14.3.3 Unless otherwise approved by the *TD*, with exception of the team member specified in Regulation S14.3.4, any unauthorised person is prohibited to enter *Parc Fermé* or touch an *Automobile* that is impounded in *Parc Fermé*, until the *Automobile* is released from *Parc Fermé*, in accordance with Regulation S14.3.5.
- 14.3.4 One team member per *Automobile* may enter *Parc Fermé* for the sole purpose of checking tyre pressures. Once this team member has finished checking tyre pressures, they must leave *Parc Fermé* immediately.
- 14.3.5 An *Automobile* (or any component thereof) and/or *Driver* may not leave *Parc Fermé* without the approval of the *TD* or their nominee or the Chief Scrutineer.





S14.4 Driver/Competitor Departure from the Precinct

For judicial purposes, each *Driver* and *Competitor* must remain at the *Precinct* following the conclusion of the final *Track* session each day, until officially released by the *RD* or the *CA*.

S14.5 Practice

- 14.5.1 With exception of the first *Event* of the *Series*, *Automobiles* will be assembled in the marshalling area prior to each practice session in *Series* standing order.
- 14.5.2 The order in which *Automobiles* are assembled in the marshalling area prior to practice at the first Event of the *Series*, will be determined by a random draw as conducted by the *CA*.

S14.6 Qualifying

- 14.6.1 With exception of the first *Event* of the *Series*, *Automobiles* will be assembled in the marshalling area prior to each qualifying session in *Series* standing order.
- 14.6.2 The order in which *Automobiles* are assembled in the marshalling area prior to qualifying at the first *Event* of the *Series*, will be determined by a random draw as conducted by the *CA*.
- 14.6.3 During a qualifying session, unless re-joining the *Track*, an *Automobile* may not exit Pit Lane without the prior approval of the *TD*.
- 14.6.4 Any *Automobile* that breaches Regulation S13.6.3, will be prohibited to re-join that session and a penalty of *Disqualification* from the results of that session will be imposed.
- 14.6.5 Any *Driver* that causes a qualifying session to be stopped (Red Flagged) will have their fastest lap time for that session deleted from the results.
- 14.6.6 Unless otherwise approved by the *TD* or their nominee, with exception of checking tyre pressures and/or adjusting shock absorbers, no work may be carried out on an *Automobile* during a qualifying session.
- 14.6.7 Unless otherwise advised by the RD via the RMC, at the conclusion of qualifying, each Automobile and Driver, including any Automobile/Driver that completed the session in Pit Lane or any Automobile/Driver that enters Pit Lane whilst the Chequered Flag is being displayed, must proceed directly to Parc Fermé via the most direct route (or as directed by an Official) without stopping and without interference from an authorised third party.

S14.7 Races

Unless otherwise advised by the *RD* via the RMC, at the conclusion of each race, each *Automobile* and *Driver*, including any *Automobile/Driver* that completed the session in Pit Lane or any *Automobile/Driver* that enters Pit Lane whilst the Chequered Flag is being displayed, must proceed directly to *Parc Fermé* via the most direct route (or as directed by an Official) without stopping and without interference from an unauthorised third party.

S14.8 Pit Lane

- 14.8.1 A maximum of two (2) crew members per Automobile are permitted in Pit Lane during each Track session.
- 14.8.2 Prior to entering Pit Lane for the first session at each *Event*, each crew member must sign a Pit Lane Indemnity Form and correctly display identification as required by the *Organiser*.
- 14.8.3 Each *Automobile* may only stop/pit in their designated pit bay, in accordance with the Pit Lane Allocation published by the *CA*.
- 14.8.4 During each practice and qualifying session, each *Automobile* must park nose-in on a 45 degree angle whilst in their designated pit bay.
- 14.8.5 During each race, each Automobile must park parallel to Pit Lane whilst in their designated pit bay.
- 14.8.6 In the event of a session being stopped (Red Flagged), unless advised otherwise via the RMC, each *Automobile* must proceed directly to Pit Lane and park nose-in on a 45 degree angle in their designated pit bay until advised otherwise via the RMC.

S14.9 Removal of Automobile from the Precinct

Following the commencement of the first practice session at each *Event*, an *Automobile* may not be removed from the *Precinct* during the *Event*, without the prior approval of the *TD*.

\$14.10 Radio Communication to/from Automobile

- 14.10.1 At least one (1) team member must be in direct radio communication with the *Driver* at all times whilst the *Driver* is in the *Automobile*. During each *Track* session, this team member must be located in the vicinity of the *Drivers* designated pit bay in Pit Lane.
- 14.10.2 Direct communication between competing Automobiles/Drivers is prohibited.





\$14.11 Race Management Channel (RMC)

- 14.11.1 A minimum of one senior team member for each *Automobile* must monitor RMC at all times from 30 minutes prior to the scheduled start of each *Track* session, until 10 minutes after the completion of each *Track* session.
- 14.11.2 The person monitoring the RMC must be located in the vicinity of the *Automobile's* designated Pit Bay in Pit Lane during each *Track* session.
- 14.11.3 Details of the RMC frequency for each Event will be published by the CA in the Pre-Event Guide.

S14.12 Lap Triggers

The use of individual lap trigger beacons is prohibited.

S15 TYRES

S15.1 General

- 15.1.1 Each New Tyre must be purchased from and fitted by the nominated tyre supplier (as specified by the CA) at the Event at which the tyres are to be used.
- 15.1.2 Each New Tyre will only be allocated to a single Automobile, identified by the Automobile's Log Book number.
- 15.1.3 Unless otherwise approved by the TD, a tyre may not be transferred/fitted to another Automobile.
- 15.1.4 With exception of a single 100 mm wide section across the tread face of each tyre to facilitate measuring tread depth, the removal of tyre "build-up" from a tyre by any means other than driving the *Automobile*, is prohibited.
- 15.1.5 The use of any tyre heating, heat retention device or chemical treatment is prohibited.
- 15.1.6 Except on the shoulder of a tyre where there is no measurable tread depth, the tread depth of a tyre must not be less than 2mm at any point on the tyre.
- 15.1.7 The *TD* reserves the right to impound any tyre between sessions.
- 15.1.8 Unless otherwise approved by the *TD*, once qualifying has commenced, a tyre may not be removed from or rotated on the wheel rim which it has been fitted to, until after the completion of the *Event*.
- 15.1.9 The *TD* is the sole arbiter with regard to the interpretation and application of all tyre regulations and any decision made by the *TD* in this regard will not be the subject of any protest or appeal.

S15.2 Allocation and Marking

- 15.2.1 At each *Event*, each *Competitor* must have 4 *New Tyres* per *Automobile* marked by the *TD* or their nominee, for use in qualifying and races at that *Event*.
- 15.2.2 If one (1) or more of the tyres detailed in Regulation S15.2.1 become damaged, rendering it unusable in the sole opinion of the *TD*, the *TD* may approve for the damaged tyre/s to be replaced by a *New Tyre*/s.
- 15.2.3 If a tyre is replaced in accordance with Regulation S15.2.2:
 - 15.2.3.1 The replacement tyre/s must be purchased from and fitted by the nominated tyre supplier for the *Event*;
 - 15.2.3.2 The replacement tyre/s must be marked by the *TD*;
 - 15.2.3.3 The replacement tyre/s must be fitted to the *Automobile* in the position nominated by the *TD*.
 - 15.2.3.4 The *TD* reserves the right to impound the damaged tyre/s for further inspection.

S15.3 Practice Tyres

- 15.3.1 For the first *Event* in which a *Competitor* competes, the *Automobile* must be fitted with *Previously Used Tyres*, irrespective of whether the tyres are previously marked.
- 15.3.2 For each subsequent *Event* in which a *Competitor* competes, the *Automobile* must be fitted with *Previously Used Tyres* and *Previously Marked Tyres* from the preceding *Event*.
- 15.3.3 If a Competitor/Automobile does not have a sufficient number of eligible tyres to use for practice, the TD reserves the right to approve the use of a substitute tyre/s.

S16 FUEL

S16.1 Fuel

16.1.1 Each Competitor must only use the specified Control Fuel as supplied by the Control Fuel supplier.

Race Fuels Pty Ltd Sean Scott 37 - 41 Mark Anthony Drive,

Dandenong South, VIC 3175

Telephone: (03) 9706 5233 Mobile: 0417 368 543

Email: info@racefuels.com.au

16.1.2 Fuel may only be stored and dispensed from the approved container/s as supplied by the Control Fuel supplier (as detailed in Attachment A).





- 16.1.3 The transportation of fuel to and from each *Event* (other than fuel in the fuel tank of the *Automobile*) is prohibited.
- 16.1.4 Each *Automobile* is required to arrive at each *Event* with minimal fuel in the fuel tank system for garage manoeuvring purposes only.
- 16.1.5 For the purpose of fuel testing, each *Automobile* must have a minimum of 500 ml of fuel in the fuel system at the completion of each *Track* session.

S16.2 Refuelling

- 16.2.1 When refuelling an Automobile each Competitor is required to comply with the following refuelling procedure:
 - 16.2.1.1 All personnel within one (1) metre of the *Automobile* must be correctly attired in accordance with Technical Appendix, Scheduled D (Apparel) of the *Motorsport Australia Manual*.
 - 16.2.1.2 At least one (1) crew member must be designated as a fire marshal and in possession of either a x 9 kg or 2 x 4.5 kg dry powder fire extinguisher/s.
 - 16.2.1.3 The designated fire marshal must not perform any other role or duty during the refuelling procedure.
 - 16.2.1.4 A drip/catch mat/tray capable of containing any spillage must be positioned below the refuelling point of the *Automobile*.

S17 ENGINE OIL

- 17.1 Each Competitor must only use the specified Control Engine Oil in accordance with Regulation T7.2.1.
- 17.2 At all times, each Automobile must have a minimum of 5000 ml of Control Engine Oil in the sump pan.

NOTE: For the avoidance of doubt, the minimum oil requirement does not include oil in the oil cooler or any other part of the engine.

S18 AUTOMOBILE MARKINGS

S18.1 General

- 18.1.1 In addition to the *Series* signage requirements as specified by the *CA*, each *Automobile* must comply with Technical Appendix, Schedule K (Marking on *Automobiles*) of the *Manual*.
- 18.1.2 Unless otherwise approved by the *CM*, displaying signage of an *Automobile* manufacturer other than TOYOTA on an *Automobile* is prohibited.
- 18.1.3 Only sponsorship material approved by the *CM*, including, but not limited to, signage, *Automobile* decals and uniforms, may be displayed by a *Competitor*.
- 18.1.4 With exception of the *Series* Signage as specified by the *CA*, signage is prohibited to be displayed on the front windscreen, rear windscreen or side windows of the *Automobile*.
- 18.1.5 The *CM* is the sole arbiter with regard to the interpretation and application of all *Automobile* Markings regulations and any decision made by the *CM* in this regard, will not be the subject of any protest or appeal.

\$18.2 Competition Numbers

- 18.2.1 The allocation of a Competition Number for each Automobile is solely the responsibility of the CA.
- 18.2.2 Unless otherwise approved by the *CA*, once a Competition Number has been allocated to an *Automobile*, that Competition Number must remain with that *Automobile* for the entire *Series*.

S18.3 In-Car Signage

- 18.3.1 Unless otherwise approved by the *CA*, any signage placed on/in an *Automobile* in the direct view of the *Event* Broadcaster's on-board camera, is prohibited.
- 18.3.2 Individual Competitor signage is prohibited to be displayed inside the Automobile.

S18.4 Series Signage

Each Automobile must display the Series Signage as specified by the CA:

S19 TESTING RESTRICTIONS

Unless otherwise approved in writing by the CA, testing of any eligible Automobile and/or Driver deemed to be associated with the Series, is prohibited during the 7 days preceding an Event at that Circuit.





S20 JUDICIAL

S20.1 In-car Camera

- 20.1.1 Each Automobile must be fitted with a judicial in-car camera unit, in accordance with Regulation T5.6.
- 20.1.2 The judicial in-car camera unit must be switched on and remain fully operational and record video images from the commencement of each *Track* session, until the *Automobile* is released from *Parc Fermé*.
- 20.1.3 The judicial in-car camera unit must be installed in accordance with Regulation T5.6 and be adjusted in such a way to at all times provide clear unobstructed images of the *Driver's* view of the *Track* ahead, as depicted in Attachment B or as directed by the *CA*.
- 20.1.4 Each Competitor must have 6 x 16GB or greater micro-SD cards at each Event, clearly labelled with their Automobiles competition number.
- 20.1.5 Unless otherwise approved by the *RD* or *CA*, only the *DSA* or their nominee may remove the judicial in-car camera unit from the *Automobile* or the SD card from the judicial in-car camera unit.
- 20.1.6 Unless otherwise approved in writing by the *CA*, the data stored on each SD card may not be deleted/cleared until after the completion of each *Event*.
- 20.1.7 Access to the judicial in-car camera unit must be provided to the CA, DSA, RD or TD at any time upon request.
- 20.1.8 Unless otherwise approved by the *CA* in writing, the video images recorded by the judicial in-car camera unit may not be used for any purpose, other than that determined by the *RD*.
- 20.1.9 Once the SD card/s are returned by the *DSA* or *RD*, *Competitors* may access the video images for private internal team use only.
 - **NOTE:** For the avoidance of doubt, video images capture by the judicial in-car camera unit cannot be sold, licensed, broadcast, published, commercially exploited, or otherwise publicly displayed or distributed, including in any case via the internet.
- 20.1.10 All video images recorded by the judicial in-car camera unit are the property of the CM.
- 20.1.11 The *CA* reserves the right for the *Event* Broadcaster to install in-car/on-board cameras to any *Automobile* and position signage within view of the camera.
- 20.1.12 Unless otherwise approved by the *CA* in writing, the fitment and/or use of any other camera unit or recording device in or on an *Automobile* is prohibited.

S20.2 Demerit Point System

- 20.2.1 Each Competitor and Driver will commence the Series with three (3) demerit points.
- 20.2.2 If a *Driver* is found guilty of either a Code of Driving Conduct breach or a behavioural breach, in addition to the penalty imposed by the Stewards, a demerit point penalty will be imposed, in accordance with the following:

Infringement	Infringement Level	Demerit Point Deduction
	Low	1 Point
Code of Driving Conduct Breach	Medium	2 Points
	High	3 Points
	Low	1 Point
Behavioural Breach	Medium	2 Points
	High	3 Points

- 20.2.3 It is the Competitor's responsibility to ensure the Driver and all associated team members (as determined by the CA), conduct themselves in a respectable manner at all times. Should the behaviour of a Competitor, Driver or an associated team member be deemed to be unacceptable, the Competitor will be referred to the Stewards.
- 20.2.4 If a *Competitor* is found guilty of a behavioural breach, in addition to the penalty imposed by the Stewards, a demerit point penalty will be imposed, in accordance with the table above.
- 20.2.5 If a *Competitor/Driver* loses a total of three (3) or more demerit points during the *Series*, the *Competitor/Driver* will be prohibited from *Entering* any future *Events* in the *Series*.
- 20.2.6 A *Competitor/Driver* who is prohibited to *Enter* any future *Event* of the *Series* may be eligible to re-enter the *Series* once they have met the requirements for re-entry, as determined by the *CA*.
- 20.2.7 The CM reserves the right to prohibit any Competitor/Driver from re-entering the Series.

S21 COMPETITOR CONDUCT

- 21.1 Each Competitor, Driver and associated team member are required to comply with the following:
 - 21.1.2 2023 Toyota Gazoo Racing Australia 86 Series Commercial Agreement;
 - 21.1.3 Motorsport Australia Member Protection Health & Integrity Policy, and;
 - 21.1.4 Motorsport Australia Social Media Policy.





ATTACHMENT A - FUEL CONTAINER









ATTACHMENT B - JUDICIAL IN-CAR CAMERA FRAMING







2023 Toyota Gazoo Racing Australia 86 Series

Technical Regulations

T1 GENERAL

- 1.1 In addition to these regulations and the *Motorsport Australia Recognition Documents*, each *Automobile* must comply with the Technical Appendix of the *Motorsport Australia Manual*. If at any time the documents conflict, these regulations will take precedence.
- 1.2 Subject to the prior approval of *Motorsport Australia*, the *CM* reserves the right to make changes to these regulations at any time.
- 1.3 In the event of a dispute, parts or specifications of the *Automobile* in question will be compared against parts and/or specifications supplied by *TMCA*. *TMCA* and the *CA* reserve the right to update part numbers from time to time as required.

T2 ELIGIBILITY

T2.1 Homologation Requirements

- 2.1.1 With exception of those components that are permitted to be replaced, removed or modified in accordance with these regulations and/or the *Motorsport Australia Recognition Documents*, each *Automobile* and its components must remain *Standard* and respect the form, orientation and function of the production model on which the eligible *Automobile* is based.
- 2.1.2 Unless otherwise permitted in these regulations and/or the *Motorsport Australia Recognition Documents*, each homologated component must be fitted and function in accordance with the component manufacturer's specifications and recommendations.
- 2.1.3 Any aspect relating to the construction, modification and/or preparation of an *Automobile* that is not specifically authorised in these regulations and/or the *Motorsport Australia Recognition Documents*, is prohibited.
- 2.1.4 At the request of the *TD* in conjunction with the Chief Scrutineer, the Stewards may approve an *Automobile* for a minor ineligibility, in accordance with the *NCR*.
- 2.1.5 If a minor ineligibility is approved in accordance with Regulation T2.1.4, as a result of post qualifying/race scrutiny, the *RD* reserves the right to recommend to the Stewards that a penalty is imposed.
- 2.1.6 Any measurement tool and the method of measurement used by the *TD* or their nominee will be considered to be the official measurement tool/method and will not be the subject of any protest or appeal.

T2.2 Eligible Automobiles

- 2.2.1 Only the following automobiles, imported into Australia by *TMCA* with Australian compliance and built, in accordance with the *Motorsport Australia Recognition Documents* to the satisfaction of the *TD*, are eligible to compete in the *Series*:
 - 2.2.1.1 Toyota 86 GT (86 ZN6 SER model designation AK, BK, CK or DK)
 - 2.2.1.2 Toyota 86 GTS (86 ZN6 SER model designation AK, BK, CK or DK)

NOTE: For the avoidance of doubt, later model variants and/or components from later model variants may not be used.

- 2.2.2 The presentation of an *Automobile* for participation in any *Event* will be deemed to be an implicit statement by the *Competitor* of conformity with respect to the eligibility of the *Automobile*.
- 2.2.3 The *TD* reserves the right to seal any *Automobile* or component thereof for future examination at a later date and time, in accordance with the *NCR*. All costs associated with the examination must be borne by the *Competitor*.

T2.3 Scrutineering

- 2.3.1 Scrutineering at each Event will be conducted in accordance with the Motorsport Australia Targeted Scrutiny System.
- 2.3.2 It is the *Competitor's* responsibility to present their *Automobile* for scrutineering at the appropriate times, in a complete and finished state, in 'ready to race' condition, including all markings and seals, in accordance with these regulations and the *Motorsport Australia Recognition Documents*.

T2.4 Component Sealing

- 2.4.1 It is the *Competitor's* responsibility to ensure that each component that is required to be sealed, is done so by the correct authority prior to or during the first *Event* in which the *Automobile* competes, in accordance with the relevant *Motorsport Australia Recognition Documents*.
- 2.4.2 To facilitate the fitment of component seals, prior to presenting the components for sealing, it is the *Competitor's* responsibility to ensure that the appropriate holes have been drilled into relevant components, in accordance with the *Motorsport Australia Recognition Documents*.





- 2.4.3 Unless otherwise approved in writing by the *TD* or *TM*, each sealed component must remain sealed for the duration of the *Series*.
- 2.4.4 Unless otherwise approved in writing by the *TD* or *TM*, a component seal must only be removed by the *TD*, the *TM*, or the EIO.
- 2.4.5 If written approval is given for a seal to be removed by someone other than those nominated in Regulation T2.4.4, the component must only be re-sealed by the *TD* or their nominee.
- 2.4.6 If an *Automobile* is found not to have a seal fitted in accordance with the *Motorsport Australia Recognition Documents*, or the seal is deemed to be incorrect and/or has been tampered with, the *Competitor* of the *Automobile* will be referred to the Stewards.

T3 CONTROL COMPONENTS

- 3.1 Unless stated otherwise in these regulations, a *Control Component* must only be purchased from and supplied by the *Control Component Supplier*, as detailed in the *Motorsport Australia Recognition Documents*.
- 3.2 With exception of brake calipers, each *Control Component* must only be adjusted, serviced and/or rebuilt by the *Control Component Supplier*.

T4 WEIGHT

T4.1 Racing Weight

At all times, each Automobile and Driver combination must achieve a minimum Racing Weight of 1280 kg.

T4.2 Driver Weight

At all times, each *Driver* must achieve a minimum *Driver* weight of 85 kg (including all normal racing apparel).

T4.3 Automobile Weight

At all times, each Automobile must achieve a minimum Automobile weight of 1195 kg.

T4.4 Ballast

- 4.4.1 Only *Ballast* supplied by the *TM* may be fitted to the *Automobile* and must be securely affixed to the *Ballast* mounting plate fixing points located in the front passenger *Seat* position, in accordance with the *Motorsport Australia Recognition Documents*.
- 4.4.2 Ballast may be affixed to the Automobile to achieve the minimum Driver weight.
- 4.4.3 A maximum of 15 kg of *Ballast* may be affixed to the *Automobile* to achieve the minimum *Automobile* weight.
- 4.4.4 Fuel may not be used as a form of Ballast.
- 4.4.5 It is the Competitor's responsibility to make provision for any Ballast to be sealed by the TD.

T5 COCKPIT

T5.1 General

- 5.1.1 Only the following items may be removed from the *Cockpit* of an *Automobile*, all other items/components in the *Cockpit* must remain *Standard* and respect the original function:
 - 5.1.1.1 Roof lining;
 - 5.1.1.2 Front & rear interior trim;
 - 5.1.1.3 Floor carpet and associated underfelt;
 - 5.1.1.4 Front passenger Seat;
 - 5.1.1.5 Rear Seats, and;
 - 5 1 1 6 Radio
- 5.1.2 Only the minimum amount of material may be removed from the dashboard and door trim to facilitate the fitment of the safety cage.
- 5.1.3 If the radio is removed, it must be replaced by a flat panel blanking plate, in accordance with the *Motorsport Australia Recognition Documents*.
- 5.1.4 Provided the location of the steering angle sensors and their operation are retained, a replacement steering wheel and steering wheel boss may be fitted to an Automobile.
- 5.1.5 Only the following components may be added to the *Cockpit* of an *Automobile*, provided the component does not hinder the *Driver's* visibility or ability to exit the *Cockpit*, and the method of mounting is able to withstand a deceleration of 25g in any direction:
 - 5.1.5.1 Safety equipment and structures;
 - 5.1.5.2 Authorised *Driver* comfort aids;
 - 5.1.5.3 MoTeC C125 Race Logging Kit;
 - 5.1.5.4 Judicial in-car camera/s and associated equipment;





5.1.5.5 In-car camera/s and associated equipment as supplied and fitted by the *Event* Broadcaster.

T5.2 Safety Cage

- 5.2.1 No alterations or additions may be made to the safety cage design, as supplied by the *Control Component Supplier* and detailed in the *Motorsport Australia Recognition Documents*.
- 5.2.2 Prior to the commencement of any repairs, the *Competitor* must notify the *TM* if a safety cage is damaged, or if an Automobile requires re-shelling.
- 5.2.3 A safety cage may only be installed into an *Automobile* by an authorised installer, as determined by the *TM*. A list of authorised installers is available from the *TM*.

T5.3 Driver's Seat

- 5.3.1 The *Driver's Seat* must be replaced with a FIA homologated head restraint *Seat* that complies with the FIA 8855/1999 standard as a minimum.
- 5.3.2 When installing a replacement *Seat* that complies with the FIA 8862/2009 standard, only the homologated *Seat* mounting brackets for that particular *Seat* may be used.
- 5.3.3 Only the original mounting holes may be used for the fitment of the replacement *Seat* and no additional modifications may be made to the floor of an *Automobile* to facilitate the fitment.

T5.4 Safety Harness

The *Driver's* seat belt must be replaced with either a '5 point' or '6 point' safety harness that complies with the FIA 8853/98 or FIA 8853-2016 standard, in compliance with Technical Appendix, Schedule I of the *Manual* that is suitable for use with a Frontal Head Restraint.

T5.5 Driver Comfort Aids

- 5.5.1 A drink bottle may be fitted to an Automobile for the sole purpose of Driver hydration provided that:
 - 5.5.1.1 The drink bottle and associated plumbing is located wholly within the Cockpit of the Automobile;
 - 5.5.1.2 The total volume of the drink bottle and associated plumbing does not exceed 2 litres;
 - 5.5.1.3 The drink bottle is of proprietary manufacture; and
 - 5.5.1.4 The drink bottle is securely mounted behind the *Driver's Seat* to the satisfaction of the *TD*.
- 5.5.2 Subject to the approval of the TD, an additional pad may be fitted to the face of the Standard brake pedal.
- 5.5.3 Subject to the approval of the TD, a false floor may be fitted to the Driver's side footwell.
- 5.5.4 If the ambient temperature of the day at 8am (as published by the Bureau of Meteorology, including its international affiliates) is forecast to be above 32.9°C for the nearest city/town to the *Circuit*, a cooling system may be fitted to an *Automobile* for the sole purpose of *Driver* comfort, subject to the approval of the *TD*.

T5.6 Judicial In-Car Camera

- 5.6.1 Each *Automobile* must be fitted with a GoPro Hero judicial in-car camera unit and securely mounted in the Cockpit of the Automobile using the GoPro roll bar mount, in accordance with the *Motorsport Australia Recognition Documents* and to the satisfaction of the *TD* and Chief Scrutineer.
- 5.6.2 The judicial in-car camera system must be installed in accordance with all instructions provided by the *TM*; and remain as supplied by the manufacturer.

T5.7 Timing Transmitter

Each *Automobile* must be fitted with a Dorian Micro 16000 DATA-1 series timing transmitter in the location specified in the *Motorsport Australia Recognition Documents*.

T6 COACHWORK

- 6.1 The windscreen must be of laminated glass construction.
- 6.2 Additional fixings may be added to non-metallic *Bodywork*, for the sole purpose of securing a component to the *Automobile*, subject to the satisfaction of the *TD*.
- 6.3 Any removable component, which sole purpose is to support and/or facilitate the removal of the spare wheel, may be removed.
- Any fog lamp in the front bumper cover may be removed and replaced with a blanking cover, as detailed in the *Motorsport Australia Recognition Documents*.
- 6.5 Each front inner plastic wheel arch guard may be removed.
- 6.6 The rear boot spoiler must be fitted in accordance with the *Motorsport Australia Recognition Documents*.
- 6.7 Any ventilation duct must not be covered or obstructed in any way.
- 6.8 Window glass must not be tinted.





6.9 The *Standard* plastic underbody brake line shield must be removed and replaced with an aluminium plate, in accordance with the *Motorsport Australia Recognition Documents*.

T7 ENGINE

T7.1 General

- 7.1.1 Sound deadening material located under the bonnet may be removed.
- 7.1.2 The air conditioning condenser and its associated hoses may be removed.

NOTE: All other air conditioning components, including the air conditioning pump and the driving belt, must be retained.

7.1.3 The throttle pedal stop must be replaced, in accordance with the *Motorsport Australia Recognition Documents*.

T7.2 Oil

- 7.2.1 At each Event, each Automobile must only use the following engine oil, in accordance with Regulation S17:
 - 7.2.1.1 Manufacturer: Mobil 1
 - 7.2.1.2 Specification: 5W-30 Keeps Engine Running Like New (Product Code: 145620)
- 7.2.2 With exception of ambient atmospheric air, no other substance may be added to the engine oil.
- 7.2.3 The oil sump pan must be fitted with a baffle insert, in accordance with the *Motorsport Australia Recognition Documents*.

T7.3 Cooling System

A protective screen mounted in front of the radiator may be fitted, subject to the satisfaction of the TD and TM.

T8 SUSPENSION

T8.1 General

- 8.1.1 Any suspension component must only be adjusted within the permissible tolerances provided.
- 8.1.2 The *TD* reserves the right to impound any suspension component from an *Automobile* at any time and replace it with a component that is supplied by the *CM*.

T8.2 Ride Height

- 8.2.1 Each Automobile must comply with the following minimum ride height as measured in accordance with the Motorsport Australia Recognition Documents:
 - 8.2.1.1 Front 140mm
 - 8.2.1.2 Rear 280mm
- 8.2.2 Ride height will be measured by the *TD* or their nominee with the fully attired *Driver* seated in the *Driver's Seat* and each tyre set to a pressure of 26 psi as measured by the nominated official tyre pressure gauge.

T8.3 Camber

- 8.3.1 Each *Automobile* must comply with the following maximum wheel camber:
 - 8.3.1.1 Front negative 4.0°
 - 8.3.1.2 Rear negative 2.5°
- 8.3.2 Camber will be measured by the *TD* or their nominee using the nominated official camber gauge, with the fully attired *Driver* seated in the *Driver's Seat* and each tyre set to a pressure of 26 psi as measured by the nominated official tyre pressure gauge.

T9 ELECTRICAL

T9.1 Telemetry

Unless otherwise approved in writing by the CA, the use of any form of telemetry or the transmission of any data to or from the Automobile is prohibited.

T9.2 Electronic Engine Control Unit (ECU)

- 9.2.1 The *Standard* ECU must be replaced by a MoTeC M150 ECU containing the control software and firmware as owned and installed by the *CM*.
- 9.2.2 Unless otherwise approved in writing by the *TD* or *TM*, with exception of any software and firmware owned by the *CM*, the ECU, the wiring loom adaptor and any other associated wiring must remain *Standard*.
- 9.2.3 All sensor inputs and outputs to the ECU must be connected and operational at all times.
- 9.2.4 Ownership of all software and firmware (i.e. engine maps and other programs) contained in the ECU remains that of the *CM*, and subsequently must only be accessed or modified by the *TM* or their nominee.





- 9.2.5 It is the *Competitor's* responsibility to ensure the *Standard* ECU belonging to the *Automobile* is present at each *Event* to facilitate the calibration of the steering angle re-alignment if required. The *TM* will be responsible for any calibration which may be required.
- 9.2.6 The *TD* reserves the right to inspect, re-program and/or impound any ECU at any time. If an ECU is impounded, it will be replaced with an ECU that is supplied by the *CM*.

T9.3 Data

- 9.3.1 Each *Automobile* must be fitted with a MoTeC C125 Race Logging Kit utilising the *Standard* OBDII connection and loaded with the latest version of firmware.
- 9.3.2 Unless otherwise approved in writing by the TM, only the following data storage devices may be used:
 - 9.3.2.1 The ECU in accordance with Regulation T9.2;
 - 9.3.2.2 The judicial in-car camera in accordance with Regulation T5.6; and
 - 9.3.2.3 A MoTeC C125 Race Logging Kit.
- 9.3.3 Each data storage device must be installed in accordance with the instructions provided by the *TM*; and must remain as supplied by the manufacturer.
- 9.3.4 The MoTeC C125 Race Logging Kit must log all mandatory data for the duration of all Track sessions at or above the minimum specified frequency in accordance with Regulation T9.3.9.
- 9.3.5 Any error, action, omission or failure which causes a loss of any mandatory data, inaccurate mandatory data or any mandatory data which appears to have been tampered with, will be investigated by the *RD* and may be deemed as a breach of these regulations.
- 9.3.6 The GPS Track coordinates (as published by MoTeC) must be loaded into the MoTeC C125 Race Logging Kit prior to the first practice session at each *Event*.
- 9.3.7 At the completion of each Track session, all data from the MoTeC C125 Race Logging Kit and the ECU must be uploaded to the USB storage device as supplied by the *CM*.
- 9.3.8 Each Competitor must deliver the USB storage device to the *TM* within 1 hour of the completion of the final Track session each day.
- 9.3.9 With exception of the channels contained in the 'Data Set' transmitted to the MoTeC C125 Race Logging Kit by the ECU, only those inputs listed below are permitted to be connected to the MoTeC C125 Race Logging Kit and must be connected to the listed input location and logged at the specified sample rate:

Permitted Inputs	Input Pin/s	Mandatory	Sample Rate
·		Logging	(Hz)
ABS Status	CAN	Yes	10
Brake Pressure	CAN	Yes	20
Brake Switch	CAN	Yes	10
Corrected Speed	CAN	Yes	50
ECU Battery Voltage	CAN	Yes	10
Engine Efficiency	CAN	Yes	20
Engine Load	CAN	Yes	20
Engine Oil Temperature	CAN	Yes	5
Engine Speed - RPM	CAN	Yes	50
Engine Torque	CAN	Yes	50
Engine Water Temperature	CAN	Yes	5
Exhaust Camshaft Aim	CAN	Yes	10
Exhaust Camshaft Bank 1 Actuator Duty Cycle	CAN	Yes	10
Exhaust Camshaft Bank 1 Position	CAN	Yes	10
Exhaust Camshaft Bank 2 Actuator Duty Cycle	CAN	Yes	10
Exhaust Camshaft Bank 2 Position	CAN	Yes	10
Fuel Cylinder 1 Primary Pules Width	CAN	Yes	10
Fuel Mixture Aim	CAN	Yes	20
Fuel Pressure - Direct	CAN	Yes	10
Fuel Pressure - Direct Aim	CAN	Yes	10
Fuel Pressure - Direct Injection	CAN	Yes	20
Fuel Pressure - Port Injection	CAN	Yes	20





Fuel Pressure - Primary Duty Cycle	CAN	Yes	20
G Force - Lateral	CAN	Yes	25
G Force - Longitudinal	CAN	Yes	25
Gear	CAN	Yes	10
GPS Date	CAN	Yes	1
GPS Speed	CAN	Yes	10
GPS Time	CAN	Yes	1
Ignition Cycle 1 Knock Level	CAN	Yes	100
Ignition Cycle 2 Knock Level	CAN	Yes	100
Ignition Cycle 3 Knock Level	CAN	Yes	100
Ignition Cycle 4 Knock Level	CAN	Yes	100
Ignition Timing	CAN	Yes	10
Inlet Air Temperature	CAN	Yes	5
Inlet Camshaft Aim	CAN	Yes	10
Inlet Camshaft Bank 1 Actuator Duty Cycle	CAN	Yes	10
Inlet Camshaft Bank 1 Position	CAN	Yes	10
Inlet Camshaft Bank 2 Actuator Duty Cycle	CAN	Yes	10
Inlet Camshaft Bank 2 Position	CAN	Yes	10
Inlet Manifold Air Mass Flow	CAN	Yes	20
Inlet Manifold Pressure	CAN	Yes	10
Knock Threshold	CAN	Yes	100
Lambda	CAN	Yes	20
Steering Angle	CAN	Yes	20
Throttle Position - Driver	CAN	Yes	10
Throttle Position - Engine	CAN	Yes	50
Wheel Speed Front Left	CAN	Yes	50
Wheel Speed Front Right	CAN	Yes	50
Wheel Speed Rear Left	CAN	Yes	50
Wheel Speed Rear Right	CAN	Yes	50

- 9.3.10 Only the minimum wiring required to install the sensors utilised for the inputs listed above are permitted.
- 9.3.11 Additional sensors may be fitted to an *Automobile* for the sole purposes of logging those inputs detailed in Regulation T9.3.9.
- 9.3.12 The MoTeC C125 Race Logging Kit software must not show any pin allocations set up to read inputs or outputs other than those permitted.
- 9.3.13 Access to any data storage device must be provided to the *TD* and/or *TM* or their nominee upon request.

T10 BRAKES

- 10.1 The front backing plate may be removed.
- The outer portion of the rear backing plate may be removed to facilitate the fitment of the rear brake rotor, in accordance with the *Motorsport Australia Recognition Documents*.
- 10.3 Unless otherwise approved by the *TD*, a maximum of four (4) new brake rotors may be fitted to an *Automobile* from the commencement of qualifying at each *Event*.

T11 WHEELS

Each wheel nut must be made from a ferrous material and be open-ended.

T12 TYRES

12.1 Each Automobile must only use the following tyres in accordance with Regulation S15:

Manufacturer: Dunlop
Model: Direzza
Size: 225/40R18
Specification: ZIII 86 spec





12.2 With exception of wear resulting from normal usage, each tyre must remain as supplied by the nominated tyre supplier and respect the manufacturer's recommendations.

T13 FUEL SYSTEM

- 13.1 Only premium unleaded fuel as supplied and dispensed by the Official Fuel Supplier may be used.
- With exception of ambient atmospheric air and the specified control fuel, no other substance may be added to the intake charge of the engine.

T14 EXHAUST

- 14.1 To prevent the exhaust system being dislodged from its mounts in the event of an accident, it is permitted to provide additional support to the exhaust system mounts by:
 - 14.1.1 Adding a hose clamp, cable tie or similar around the rubber section of the mount, and/or;
 - 14.1.2 Adding a tether using suitable tie wire or similar.

T15 TOW POINTS

Each Automobile must be fitted with both primary and secondary tow points in accordance with the Motorsport Australia Recognition Documents.

T16 NON-GENUINE PARTS

- 16.1 Freedom of source of supply is permitted for the following replacement parts:
 - 16.1.2 Battery & battery mounting bracket;
 - 16.1.3 Wheel nuts/studs;
 - 16.1.4 Hose clamps;
 - 16.1.5 Oil lines:
 - 16.1.6 Fuses;
 - 16.1.7 Earth straps;
 - 16.1.8 Light globes;
 - 16.1.9 Wiper blades;
 - 16.1.10 Window glass;
 - 16.1.11 Nuts, bolts & fasteners.
- All approved non-genuine parts must be a *Standard* replacement part, must respect the configuration and functional dimensions of the part they replace and be of similar material. The *TD* will be the final arbiter in relation to the use of these items.
- 16.3 The use of any non-genuine part must not result in the unauthorised modification to any other component.