

5TH CATEGORY - HISTORIC RACING **GROUP N**APPROVED VEHICLE SPECIFICATION

This form details the approved specifications of individual vehicle models in the 5th Category Historic car group. To be issued with an Historic Log Book, cars need to comply with these specifications, the physical appearance shown in the illustrations and the general historic rules as detailed in the current Motorsport Australia Manual.

Make of Car:	BMW	Model:	2002 & 2002 Ti
Period of Original Manufacture:	1968 – 1973		
Motorsport Australia Historic Group:	Nc		
Date of Issue of this Document:	6 February 2024		



Refer to Motorsport Australia Manual of Motor Sport, Vehicle Eligibility, Historic Touring Cars, General Requirements & Nc Regulations for permitted modifications.

Update Log

1/1/2024	Inclusion of kerb and minimum racing weights
	Correction to include 14" wheels

SECTION 1 - CHASSIS

1.1. CHASSIS

Description:	Uni body two door coupe	
Period of Manufacture:	1968 to 1973	
Manufacturer:	BMW	
Chassis Number From:	1600001	
Chassis Number location:	RHS inner guard	
Material:	Steel	
Comments	Round/Circular tail light models only.	

1.2. FRONT SUSPENSION

Description:	Independent – by I	Independent – by McPherson strut			
Spring Medium:	Coil	Coil			
Damper Type:	Telescopic	Telescopic Adjustable: Yes			
Anti-sway bar:	Fitted		Adjustable:	No	
Suspension adjustable:	No	No Method:		per and toe	
Comments:	Refer Appendix A				

1.3. REAR SUSPENSION

Description:	Independent -	Independent - semi-trailing arms			
Spring Medium:	Coil				
Damper Type:	Telescopic	Telescopic		Yes	
Anti-sway bar:	Fitted	Fitted		No	
Suspension adjustable:	No	No Method:		toe	
Comments:	Refer Appendi	хА			

1.4. STEERING

Type:	Worm and Roller	Make:	BMW ZF
Comments	None		

1.5. BRAKES

	Front	Rear			
Type:	Disc, solid	Drum			
Dimensions:	240 mm x 9.45 mm (2002)	230 mm diameter x 46.50 mm			
	256 mm x 10 mm (2002Ti)				
Material of drum/disc:	Cast Iron	Cast Iron			
No. cylinders/pots per wheel:	Two	One			
Actuation:	Hydraulic	Hydraulic			
Caliper make:	BMW ATE				
Caliper type:	Floating	Floating			
Material:	Cast Iron	Cast Iron			
Master cylinder make:	BMW ATE	BMW ATE			
Type:	Tandem				
Adjustable bias:	No				
Servo Fitted:	Yes				
Comments:	None				

SECTION 2 - ENGINE

2.1. ENGINE

Make:	BMW				
Model:	2002				
No. cylinders:	Four	Configuration:	In-line		
Cylinder Block-material:	Cast Iron	Two/Four Stroke:	Four		
Bore - Original:	89 mm	Max allowed:	90.5 mm		
Stroke - original:	80 mm Max allowed: 80 mm				
Capacity - original:	1991 cc Max allowed: 2058 cc				
Identifying marks:	+XXXXXX+				
	Located on a flat edge of the engine block, just above where the starter				
	motor mounts.				
Cooling method:	Liquid				
Comments:	None	·	<u>-</u>		

2.2. CYLINDER HEAD

Make:	BMW				
No. of valves/cylinder:	Two	Inlet:	One	Exhaust:	One
No. of ports total:	Eight	Inlet:	Four	Exhaust:	Four
No. of camshafts:	One	Location:	SOHC	Drive:	Chain
Valve actuation:	Rocker				
Spark plugs/cylinder:	One				
Identifying marks:	Number	of nubs surr	ounding a "121" (t	o mid 1972), "E	12" – mid 1972 to
	1975), all within a circle.				
	Both the head type and casting date are cast into the left side of each head.				
Comments:	None				

2.3. LUBRICATION

Method:	Wet sump	Oil tank location:	N/A
Dry sump pump type:	Mechanical	Location:	Bottom of motor
Oil cooler standard:	No	Location:	N/A
Comments:	None		

2.4. IGNITION SYSTEM

Туре:	Points, distributor & coil	
Make:	Bosch	
Comments	Breakerless electronic ignition permitted	

2.5. FUEL SYSTEM

Carburettor Make:	Solex	Model:	40PDSI	
Carburettor Number:	One (Ti ha	is two)		
Size:	Various			
Fuel injection Make:	N/A	Type:	N/A	
Supercharged:	No	Туре:	N/A	
Comments:	None			

SECTION 3 - TRANSMISSION

3.1. CLUTCH

Make:	Borg & Beck
Type:	Diaphragm
Diameter:	228 mm
No. of Plates:	One
Actuation:	Hydraulic
Comments:	None

3.2. TRANSMISSION

Type:	Synchromesh	
Make:	Getrag – 232 (four speed)	
	Getrag 235 (four and five speed)	
Gearbox location:	Behind engine	
No. forward speeds:	Four or five	
Gearchange type and location:	H pattern floor mounted.	
Case material:	Aluminium	
Identifying marks:	N/A	
Comments:	Model 245 not approved.	

3.3. FINAL DRIVE

Make:	BMW	Model:	232-235
Type:	Sprung unit		
Ratios:	Various		
Differential type:	Free/Open		
Comments:	None		

3.4. TRANSMISSION SHAFTS (EXPOSED)

Number:	Three
Location:	Gearbox to final drive
Description:	Open tail shaft & half shafts
Comments:	None

3.5. WHEELS & TYRES

Wheel type - Original:	Disc	Material - Original:		Steel	
Wheel type - Allowed:	Alloy (period style)	Material -	Allowed:	Alloy (period style)	
Fixture method:	Nuts	No. studs:		Four	
Wheel dia. & rim width	FRONT	REAR		REAR	
Original:	5.5" x 13"		5.5" x 13"		
Allowed	7" x 13"		7" x 13"		
	7" x 14"	7" x 14"			
Tyre Section:					
Allowed:	Refer approved tyre list.				
Aspect ratio - minimum:	60% minimum aspect ratio.				
Comments:	None				

_

SECTION 4 GENERAL

4.1. FUEL SYSTEM

Tank Location:	In boot	Capacity:	46 litres
Fuel pump, type:	Mechanical	Make:	BMW
Comments:	None		

4.2. ELECTRICAL SYSTEM

Voltage:	12	Alternator fitted:	Alternator
Battery Location:	Engine bay		
Comments:	None		

4.3. BODYWORK

Туре:	Coupe	Material:	Steel
No. of seats:	Four	No. doors:	Two
Comments:	None		

4.4. DIMENSIONS

Track - Front:	1330 mm	Rear:	1330 mm
Wheelbase:	2500 mm	Overall length:	4229 mm
Approved Manufacturer's	940 kg		
kerb weight:			
Approved minimum racing	917 kg		
weight:			
Comments:	None		

4.5. SAFETY EQUIPMENT

Refer applicable Group Regulations

Appendix A

Suspension

Front

Spring height adjustment permitted.

Rear

Spring height adjustment permitted.