

5TH CATEGORY - HISTORIC RACING

GROUP N

APPROVED VEHICLE SPECIFICATION

This form details the approved specifications of individual vehicle models in the 5th Category Historic car group. To be issued with an Historic Log Book, cars need to comply with these specifications, the physical appearance shown in the illustrations and the general historic rules as detailed in the current Motorsport Australia Manual.

Make of Car:	Leyland	Model:	Clubman GT
Period of Original Manufacture:	1970 – 1973		
Motorsport Australia Historic Group:	: Nc		
Date of Issue of this Document:	17 July 2024		
Comments	s Any Clubman/Leyland Australian body permitted with		ralian body permitted with
	wind up window	'S.	



Refer to Motorsport Australia Manual of Motor Sport, Vehicle Eligibility, Historic Touring Cars, General Requirements & Nc Regulations for permitted modifications.

Update Log

	opanie 10g					
1/1/2024	Inclusion of kerb and minimum racing weights					
19/07/2024	Timing cover clarification					

SECTION 1 - CHASSIS

1.1. CHASSIS

Description:	Uni – body	
Period of Manufacture:	1970 - EOP	
Manufacturer:	Leyland Motor Corporation of Australia Ltd	
Chassis Number From:	YKG2S8	
Chassis Number location:	Various	
Material:	Steel	
Comments	None	

1.2. FRONT SUSPENSION

Description:	Independent,	Independent, – upper link and lower wishbone.		
Spring Medium:	Hydrolastic	Hydrolastic		
Damper Type:	None	None		No
Anti-sway bar:	None	None		No
Suspension adjustable:	No	No Method:		
Comments:	Threaded cas	Threaded castor bars permitted.		

1.3. REAR SUSPENSION

Description:	Trailing Link				
Spring Medium:	Hydrolastic	Hydrolastic			
Damper Type:	None		Adjustable:	No	
Anti-sway bar:	None	None		No	
Suspension adjustable:	No	No Method:			
Comments:	Adjustable o	Adjustable camber brackets and slotted pivot hole permitted			

1.4. STEERING

Type:	Rack and pinion	Make:	Leyland
Comments	None		

1.5. BRAKES

	Front	Rear		
Туре:	Disc, solid	Drum, single leading shoe		
Dimensions:	190.5 mm x 9.4 mm	178 mm x 31.75 mm		
Material of drum/disc:	Cast iron	Cast iron		
No. cylinders/pots per wheel:	Two	One		
Actuation:	Hydraulic	Hydraulic		
Caliper make:	Lockheed			
Caliper type:	Fixed	Fixed		
Material:	Cast iron	Cast iron		
Master cylinder make:	Various	Various		
Type:	Tandem			
Adjustable bias:	No	No		
Servo Fitted:	Yes - PBR VH44			
Comments:	None			

SECTION 2 - ENGINE

2.1. ENGINE

Make:	Leyland	Leyland		
Model:	"A" Series	"A" Series		
No. cylinders:	Four	Configuration:	In-line (transverse)	
Cylinder Block-material:	Cast iron	Two/Four Stroke:	Four	
Bore - Original:	70.61 mm	Max allowed:	72.11 mm	
Stroke - original:	81.28 mm	Max allowed:	81.28 mm	
Capacity - original:	1273 cc	Max allowed:	1328 cc	
Identifying marks:	Serial number 1200, 1206 or 1208			
Cooling method:	Liquid			
Comments:	* Note 1 - if the original type of camshaft drive is changed, a timing			
	cover is mandatory.			

2.2. CYLINDER HEAD

Make:	Leyland				
No. of valves/cylinder:	Two	Inlet:	One	Exhaust:	One
No. of ports total:	Five	Inlet:	Two	Exhaust:	Three
No. of camshafts:	One	Location:	Block	Drive:	Chain
Valve actuation:	Pushrod and rockers				
Spark plugs/cylinder:	One				
Identifying marks:	AEG163 or 12G940, Eleven studs				
Comments:	Compared with the other "A" series heads, the Cooper head has two				
	additional studs (11 as against 9), the additional being a 5/16" stud				
	adjacent to the thermostat housing and a 3/8" at the rear of the head.				
	Note: - if the original type of camshaft drive is changed, a timing cover is				
	mandatory.				

2.3. LUBRICATION

Method:	Wet sump	Oil tank location:	N/A
Dry sump pump type:	N/A	Location:	N/A
Oil cooler standard:	Fitted	Location:	Behind grille
Comments:	None		

2.4. IGNITION SYSTEM

Type:	Points, coil & distributor	
Make:	Lucas	
Comments	Breakerless electronic ignition permitted	

2.5. FUEL SYSTEM

Carburettor Make:	SU	Model:	HS2 or HS4
Carburettor Number:	Two		
Size:	1 ¼"		
Fuel injection Make:	N/A	Type:	N/A
Supercharged:	No	Type:	N/A
Comments:	None	·	

SECTION 3 - TRANSMISSION

3.1. CLUTCH

Make:	Free
Type:	Diaphragm
Diameter:	185 mm
No. of Plates:	One
Actuation:	Hydraulic
Comments:	None

3.2. TRANSMISSION

Type:	Synchromesh
Make:	BMC
Gearbox location:	Below engine
No. forward speeds:	Four
Gearchange type and location:	H pattern floor mounted
Case material:	Alloy
Identifying marks:	22G1128
Comments:	Gearbox part numbers must be 22G1128.
	Non synchromesh internals (dog box) allowed.

3.3. FINAL DRIVE

Make:	Leyland	Model:	N/A
Type:	Combined as transaxle		
Wheel drive method:	Front		
Ratios:	Various		
Differential type:	Free/open		
Comments:	None		

3.4. TRANSMISSION SHAFTS (EXPOSED)

Number:	Two
Location:	Transaxle
Description:	Halfshaft with Hardy-Spicer universal joints
Comments:	None

3.5. WHEELS & TYRES

Wheel type - Original:	Pressed disc	Material	- Original:	Steel
Wheel type - Allowed:	Steel	Material	- Allowed:	Steel
	Alloy (period style)			Alloy
Fixture method:	Studs	No. stud	s:	Four
Wheel dia. & rim width	FRONT			REAR
Original:	4.5" x 10"	4.5" x 10"		l.5" x 10"
Allowed	6" x 10"			6" x 10"
Tyre Section:				
Allowed:	Refer approved tyre list.			
Aspect ratio - minimum:	60% minimum aspect ratio.			
Comments:	None			

_

SECTION 4 GENERAL

4.1. FUEL SYSTEM

Tank Location:	Boot, LHR and RHR	Capacity:	50 litres
	Quarter panel		
Fuel pump, type:	Electric	Make:	Various/Free
Comments:	None		

4.2. ELECTRICAL SYSTEM

Voltage:	12	Alternator fitted:	Alternator
Battery Location:	Boot		
Comments:	None		

4.3. BODYWORK

Type:	Closed touring	Material:	Steel
No. of seats:	Four	No. doors:	Two
Comments:	None		

4.4. DIMENSIONS

Track - Front:	1250 mm	Rear:	1210.5 mm
Wheelbase:	2032 mm	Overall length:	3181 mm
Approved Manufacturer's	680 kgs		
kerb weight:			
Approved minimum racing	660 kgs		
weight:			
Comments:	None	_	

4.5. SAFETY EQUIPMENT

Refer applicable Group Regulations	
herer applicable droup regulations	

Appendix A